federal register

FRIDAY, SEPTEMBER 9, 1977

PART II

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

Federal Insurance Administration

■

NATIONAL FLOOD INSURANCE PROGRAM

Proposed Flood Elevation Determinations for Various Communities

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

Federal Insurance Administration

[Docket No. FI-2774]

[24 CFR Part 1917]

TOWNSHIP OF PORTAGE, CAMERON COUNTY, PA.

Correction of Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration.

ACTION: Correction of proposed rule.

SUMMARY: The notice published on March 28, 1977, at 42 FR 16605 in the FEDERAL REGISTER, showing the display location as the home of Mr. Salsgiver, R.D. 2, Box 400, Portage, Pa., and the Chief Executive Officer as Mr. Steve Havrilak, Chairman of the Board of Supervisors, 807 Luther Avenue, Portage, Pa., was in error. It should be corrected to show the display location as the home of Twila Aldin, Secretary/Treasurer, R.D. 1, Emporium, Pa. The Community Executive Officer is Mr. Leonard Burkhouse, Chairman of the Board of Supervisors of Portage, R.D. 1, Emporium.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-5581 or toll free line 800-424-8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended by (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25201 Filed 9-8-77;8:45 am]

[Docket No. FI-3293]

[24 CFR Part 1917]

TOWNSHIP OF CINNAMINSON, N.J.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Township of Cinnaminson, N.J. These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESSES: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at Township Hall, 1621 Riverton Road, Cinnaminson, N.J.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Mayor James Meckel, Township Hall, 1621 Riverton Road, Cinnaminson, N.J. 08077.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-5581 or toll free line 800-424-8872, Room 5270, 451 Seventh Street, SW., Washington, D.C. 20510.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the Township of Cinnaminson, N.J., in accordance with Section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added Section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, state, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
Pompeston Creek and west branch.	Riverton Rd., Moorestown Rd.	[1] 31
	Parry Rd.	28
	Devon Rd.	[1] 26
	Wayne Ave.	[1] 24
	Willow Dr.	22
	U.S. Route 130	[1] 18
	North Broad St.	10
East and southeast branch of Pompeston Creek.	Parry-New Albany Rd.	[1] 34
	School driveway	28
Jacks Run	Highland Ave.	54
	Thomas Ave.	[1] 27
	Cherry Lane	19
	Main St.	18
Pheasant Run	Waterford Dr.	[1] 26
Pennsauken Creek and south branch.	New Jersey Route 73	10
	U.S. Route 130	10
North branch of Pennsauken Creek.	Fork Landing Rd.	10

[1] Elevation downstream of bridge.

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25189 Filed 9-8-77;8:45 am]

[Docket No. FI-3294]

[24 CFR Part 1917]

TOWN OF ELLICOTTVILLE, CATTARAUGUS COUNTY, N.Y.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Town of Ellicottville, Cattaraugus County, N.Y. These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESSES: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the Town Hall, 1 West Washington Street, Ellicottville, N.Y. 14731.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Mr. John C. Mason, Town Supervisor, Ellicottville, N.Y. 14731.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-5581 or toll free line 800-424-8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determina-

tions of base flood elevations (100-year flood) for the Town of Ellicottville, Cattaraugus County, N.Y., in accordance with Section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added Section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, state, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
Great Valley Creek.	Downstream Ellicottville town boundary.	1,510
	Chessie System	1,528
	Downstream Ellicottville village boundary.	1,529
	Upstream Ellicottville village boundary.	1,540
	Private road	1,544
	Chessie System	1,554

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25190 Filed 9-8-77;8:45 am]

[Docket No. FI-3295]

[24 CFR Part 1917]

VILLAGE OF HERKIMER, HERKIMER COUNTY, N.Y.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Village of Herkimer, Herkimer County, N.Y.

These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the bulletin board in the Municipal Building, 120 Green Street, Herkimer, N.Y.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify the Honorable Donald Reile, Mayor of Herkimer, 120 Green Street, Herkimer, N.Y. 13350.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-581 or Toll Free Line 800-424-8872, Room 5270, 451 Seventh Street, SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the Village of Herkimer, Herkimer, County, N.Y., in accordance with Section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added Section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
Mohawk River	Upstream corporate limits.	394
	New York State Throughway bridge.	391
	Confluence with Hydraulic Canal.	388
	Downstream corporate limits.	387
West Canada Creek.	Upstream corporate limits.	414
	East State St. Bridge	390
	ConRail	387
	Confluence with Mohawk River.	384
Bellinger Brook	Maple Grove Ave. Bridge.	419
	Church St. Bridge	414
	High school footbridge.	402
	Downstream corporate limits.	395

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128) and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25191 Filed 9-8-77;8:45 am]

[Docket No. FI-3296]

[24 CFR Part 1917]

TOWN OF LEWISTON, NIAGARA COUNTY, N.Y.

Proposed Flood Elevation Determinations

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Town of Lewiston, Niagara County, N.Y.

These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the Town Hall, 1375 Ridge Road, Lewiston, N.Y.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Mr. James

J. Lombardi, Town Supervisor, P.O. Box 326, Lewiston, N.Y. 14092.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-5581 or Toll Free Line 800-424-8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the Town of Lewiston, Niagara County, N.Y., in accordance with Section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added Section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by Section 1910.3 of the program regulations are the minimum that are required. They should not be constructed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
Fish Creek	Robert Moses Parkway.	559
	Route 104	579
	Route 285	592
	Confluence with unnamed tributary.	598
	Bronson Dr	600
Gill Creek	Hewitt Dr	601
	Confluence with unnamed tributary.	604
	Upstream confluence with unnamed tributary.	617

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968) as amended; 42 U.S.C. 4001-4128; and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25192 Filed 9-8-77;8:45 am]

[Docket No. FI-3297]

[24 CFR Part 1917]

CITY OF PORT JERVIS, ORANGE COUNTY, N.Y.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the City of Port Jervis, Orange County, N.Y.

These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATE: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the City Hall, 1418 Hammond Street, Port Jervis, N.Y. 12771.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Honorable H. Robert Eccleston, Mayor of Port Jervis, 1418 Hammond Street, Port Jervis, N.Y. 12771.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-5581 or Toll Free Line 800-424-8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the City of Port Jervis, Orange County, N.Y. in accordance with Section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added Section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by Section 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at anytime enact stricter requirements on its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
Delaware River	Downstream corporate limits.	431
	Interstate 84	431
	Pike St	442
	Upstream corporate limits.	451
Neversink River	Downstream corporate limits.	431
	Main St. (Tristates Bridge).	432
	Con Rail	436
	Confluence of Cold Creek.	439
	Upstream corporate limits.	439
Cold Brook	Confluence with Neversink River.	439
	Beach Rd	440
	Hamilton St	440
	Confluence of tributary A.	440
	Abandoned railroad bridge.	440
	Kingston Ave	441
	Corporate limits	441
Tributary A	Confluence with Cold Brook.	440
	Abandoned railroad bridge.	440
	Kingston Ave	444
	Glass St	454
	Canal St	464
	Brooklyn St	472
	Orange St	485
	Hudson St	504
	Cedar St	517
	Reservoir Bridge	540
	Access Road Bridge	561
	Corporate limits	571
Tributary B	Driveway Bridge (downstream).	513
	Driveway Bridge (upstream).	544
	Corporate limits	574

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25193 Filed 9-8-77;8:45 am]

[Docket No. FI-3298]

[24 CFR Part 1917]

TOWN OF SMITHTOWN, SUFFOLK COUNTY, N.Y.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Town of Smithtown, Suffolk County, N.Y. These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the bulletin board in the Town Hall, 99 West Main Street, Smithtown, N.Y.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Mr. Charles Cacciabaudo, Town Supervisor of Smithtown, 99 West Main Street, Smithtown, N.Y. 11787.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-5581 or toll free line 800-424-8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the Town of Smithtown, Suffolk County, N.Y., in accordance with Section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added Section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet above mean sea level
Nissequogue River	Highland Dr. (extended).	11
	Smithtown Landing Country Club.	11
	Landing Rd. (extended).	11
	Landing Ave.	11
	Main St.	11
Sunken Meadow Creek.	Old Dock Rd. (extended).	11
	Sunken Meadow. Street Parkway.	11
	Salonga Rd.	11
	Locust Dr. (extended).	11
Phillips Millpond	Long Island RR. crossing.	11

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25194 Filed 9-8-77;8:45 am]

[Docket No. FI-3299]

[24 CFR Part 1917]

VILLAGE OF WATKINS GLEN, SCHUYLER COUNTY, N.Y.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Village of Watkins Glen, Schuyler County, N.Y. These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review on the Bulletin Board in the hallway of the Municipal Building, 303 North Franklin Street, Watkins Glen.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Mayor Warren Miller, Municipal Building, 303 North Franklin Street, Watkins Glen, N.Y. 14890.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-5581 or toll free line 800-424-8872, Room 5270, 451 Seventh Street, SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the Village of Watkins Glen, Schuyler County, N.Y., in accordance with Section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community stricter requirements on its own, or pursuant to policies established by other Federal, state, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet above mean sea level
Chemung Barge Canal.	State Route 414	449
	Corporate limits (upstream).	449
Glen Creek	Confluence with Chemung Barge Canal.	449
	ConRail Bridge	461
	Decatur St.	470
	State Route 14/ Franklin St.	474

[1] Seneca Lake.—It should be noted that the flood zones along Chautauqua Lake west of the ConRail RR. are limited to a very narrow band extending upward from the lake shore to elevations 449 and 450 ft. In the area east of the ConRail RR, Seneca Lake flooding extends upward and inundates at an elevation of 449 ft the flat marshy lands that contain the Barge Canal and the Seneca Lake Inlet.

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25195 Filed 9-8-77;8:45 am]

[Docket No. FI-3300]

[24 CFR Part 1917]

TOWN OF WILLIAMSON, WAYNE COUNTY, N.Y.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed Rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Town of Williamson, Wayne County, N.Y. These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the Town Hall, 7 East Main Street, Williamson, N.Y. 14589.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Ms. Jean Elliott, Town Clerk, Town Hall, 7 East Main Street, Williamson, N.Y. 14589.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-5581 or toll free line 800-424-8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the Town of Williamson, Wayne County, N.Y., in accordance with Section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, state, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet above mean sea level
Salmon Creek	Mill St	252
	Hamilton Rd	274
	Tuckahoe Rd	303
	Eaton Rd	336
	Salmon Creek Rd	346
	do	390
	do	401
	do	414
	Con Rail	415
	Route 104	416
	Chapel Rd	441
Unnamed tributary to Salmon Creek.	Eddy Ridge Rd	440
	Upstream limit of study.	440

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25196 Filed 9-8-77;8:45 am]

[Docket No. FI-3301]

[24 CFR Part 1917]

TOWN OF MARSHALL, N.C.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Town of Marshall, N.C. These base flood elevations are the basis for the flood plan management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATE: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at Town Hall, Marshall, N.C.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Mayor George E. Penland, P.O. Box 548, Marshall, N.C. 28753.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-5581 or toll free line 800-424-8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the Town of Marshall, N.C., in accordance with Section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added Section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by Section 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, state, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
French Broad River.	Capitola Dam [1]	1,652
	do.[2]	1,648
	Redmon Dam [1]	1,629
	do.[2]	1,601

[1] Upstream.
[2] Downstream.

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128), and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25197 Filed 9-8-77;8:45 am]

[Docket No. FI-3302]

[24 CFR Part 1917]

TOWNSHIP OF BENSALEM, BUCKS COUNTY, PA.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed

base flood elevations (100-year flood) listed below for selected locations in the Township of Bensalem, Bucks County, Pa. These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESSES: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the Zoning and Building Office, Bensalem Township Municipal Building, 3800 Hulmeville Road, Cornwell Heights, Pa.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Mr. Stephen Kelly, Chairman of the Bensalem Township Board of Supervisors, Bensalem Township Municipal Building, 3800 Hulmeville Road, Cornwell Heights, Pa. 19020.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-5581 or toll free line 800-424-8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the Township of Bensalem, Bucks County, Pa., in accordance with Section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, state, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet above mean sea level
Delaware River	Upstream corporate limits.	11
	Poquessing Creek	10.5
Neshaminy Creek	Reading RR	51
	U.S. Route 1	45
	Old Lincoln Highway	48
	Hulmeville Rd	32
	Penna Turnpike	22
	Newportville Rd	19
	I-95	16
	Bristol Pike	13
	Penn Central RR	13
Poquessing Creek	Reading RR	126
	Roosevelt Blvd	112.5
	Bensalem Turnpike	107
	Cloverdale Rd	93.5
	Richilieu Rd	87
	Century Lane	76
	Dunks Ferry Rd	70
	Knights Rd	61
	Eddington Golf Course tributary.	50.5
	Byberry Rd	42
	Woodhaven Rd	41
	Red Lion Rd	28
	Frankford Ave	26
	State road	10.5
Eddington Golf Course tributary.	Street road	83
	Brown Ave	78
	Private drive	76
	Foot bridge	61
	Downstream corporate limits confluence with Poquessing Creek.	50

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25198 Filed 9-8-77;8:45 am]

[Docket No. FI-3303]

[24 CFR Part 1917]

TOWNSHIP OF LIGONIER, WESTMORELAND COUNTY, PA.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Township of Ligonier, Westmoreland County, Pa. These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESSES: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the Ligonier Township Municipal Building, Old Route 30 West, Ligonier, Pa.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Mr. Clarence H. Carns, Chairman of the Ligonier Township Board of Supervisors, R.D. 2, Box 6A, Ligonier, Pa. 15658.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-5581 or toll free line 800-424-8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the Township of Ligonier, Westmoreland County, Pa, in accordance with Section 110 of the Flood Disaster Protection Act of 1973 (Pub L. 93-234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, state, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet above mean sea level
Loyalhanna Creek	Confluence with Laughlin Run.	1,180
	Township Route 605	1,164
	S.R. 711	1,152
	Confluence with Mill Creek.	1,143
	L.R. 64071	1,141
	Confluence with Four Mile Run.	1,130
	U.S. Route 30	1,109
Four Mile Run	L.R. 64075	1,173
	Township Route 944 (bridge deck collapsed).	1,158
	L.R. 64060	1,141
	Confluence with unnamed tributary.	1,130

Source of flooding	Location	Elevation in feet above mean sea level
Two Mile Run	Township Route 595	1,322
	L.R. 64060	1,312
	L.R. 64071	1,140
Mill Creek	Ann Roberts Rd	1,384
	Pennsylvania Route 271.	1,322
	Confluence with Mack's Run.	1,308
	Pennsylvania Route 271.	1,287
	State Route 711	1,163
	Abandoned railroad	1,151
	Township Route 950	1,145
	U.S. Route 30 West	1,143
	U.S. Route 30 East	1,143
Hanna's Run	Robb Rd	1,224
	White City Rd	1,217
	Confluence of Mary Ann Run.	1,205
Tributary No. 2	Private drive	1,216
	L.R. 64058	1,215
Tributary No. 1	Township Route 595	1,282
	Confluence with Mill Creek.	1,273
Mack's Run	Township Route 954	1,316
	Confluence with Mill Creek.	1,308
Laughlintown Run.	Mill St	1,290
	U.S. Route 30	1,271
	Private drive	1,263
	Confluence with Naugle Run.	1,228
	Private drive	1,209
	Laurel Glen Dr	1,196
	State Route 381	1,187
Naugle Run	Mill St	1,286
	Private drive	1,277
	Confluence with Laughlinton Run.	1,227
Lynn Run	7,450 ft above confluence of Loyalhanna Creek.	1,308
	6,200 ft above confluence of Loyalhanna Creek.	1,342
	4,600 ft above confluence of Loyalhanna Creek.	1,311
	L.R. 64060	1,285

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR, 17804, November 28, 1968), as amended (42 U.S.C. 4001–4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25199 Filed 9-8-77;8:45 am]

[24 CFR Part 1917]

[Docket No. FI-3304]

BOROUGH OF MOUNT CARMEL, NORTHUMBERLAND COUNTY, PA.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Borough of Mount Carmel, Northumberland County, Pa. These base flood elevations are the basis for the flood plain managenment measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESSES: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the Mount Carmel Municipal Building, 50 North Oak Street, Mount Carmel, Pa.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Hon. Frank Cimino, Mayor of Mount Carmel, Mount Carmel Municipal Building, 50 North Oak Street, Mount Carmel, Pa. 17851.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202–755–5581 or toll free line 800–424–8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the Borough of Mount Carmel, Northumberland County, Pa., in accordance with section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93–234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90–488), 42 U.S.C. 4001–4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, state, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet above mean sea level
Shamokin Creek	Upstream corporate limit.	1,074
	Locust St	1,064
	Hickory St	1,058
	Poplar St	1,053
	Downstream corporate limit.	1,050

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001–4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25200 Filed 9-8-77;8:45 am]

[24 CFR Part 1917]

[Docket No. FI-3306]

CITY OF ALAMO HEIGHTS, BEXAR COUNTY, TEX.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the City of Alamo Heights, Bexar County, Tex.

These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at City Hall, Alamo Heights, Tex.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Mayor Ellcon McGaughy, 6116 Broadway, San Antonio, Tex. 78209.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202–755–5581 or Toll Free Line 800–424–8872, Room 5270, 451 Seventh Street, SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the City of Alamo Heights, Bexar County, Tex., in accordance with section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93–234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90–448), 42 U.S.C. 4001–4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any exist-

ing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
Broadway [1]	Grove Pl	707
Austin Highway [1]	Routt St	730
New Braunfels Ave.[1]	Cloverleaf Ave	754
	East Elm View Pl	774

[1] These are street names. Streets are utilized for drainage during storms.

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001–4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25202 Filed 9-8-77;8:45 am]

[Docket No. FI-3307]

[24 CFR Part 1917]

CITY OF WEST LAKE HILLS, TRAVIS COUNTY, TEX.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the city of West Lake Hills, Travis County, Tex.

These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATE: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the bulletin board, West Lake Hills City Office, 101 West Bee Cave Road, Suite 11, Austin, Tex.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify the Honorable Tom H. Taylor, Mayor of West Lake Hills, West Lake Hills City Office, 101 West Bee Cave Road, Suite 11, Austin, Tex. 78746.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202–755–5581 or Toll Free Line 800–424–8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the City of West Lake Hills, Travis County, Tex. in accordance with section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93–234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90–448), 42 U.S.C. 4001–4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are stringent in their flood plain management requirements. The community may at any time enact stricted requirements on its own or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet above mean sea level
Bee Creek	Lake Austin	503
	West Lake Dr	520
	Confluence with tributary near Toro Canyon.	553
	Confluence with tributary near west end of Wild Basin Ledge.	584
	Small dam downstream of 1st tributary entering from south.	645
	1st tributary entering from south.	650
	Small dam down stream of 2d tributary entering from south.	668
	2d tributary entering from south.	679
	Upstream corporate limits.	680
Little Bee Creek	Lake Austin	500
	Top of 1st dropoff	549
	Top of 2d dropoff	572
	Top of 3rd dropoff	600
	Red Bud Trail	627
	West Lake Dr	632
	Laurel Valley Rd. (1st crossing)	646
	Laurel Valley Rd. (2d crossing).	675
	Laurel Valley Rd. (3d crossing).	717
	Approximately 600 ft east of Madrone Rd.	770

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001–4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25203 Filed 9-8-77;8:45 am]

[Docket No. FI-3308]

[24 CFR Part 1917]

TOWN OF ALTAVISTA, CAMPBELL COUNTY, VA.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Town of Altavista, Campbell County, Va.

These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESS: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the bulletin board, Town Hall, 510 Seventh Street, Altavista, Va.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Mr. Wilson L. Dickerson, Town Manager, Town Hall, 510 Seventh Street, Altavista, Va.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202–755–5581 or Toll Free Line 800–424–8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determina-

tions of base flood elevations (100-year flood) for the Town of Altavista, Campbell County, Va., in accordance with section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
Roanoke River	Downstream corporate limits.	534
	State Route 668	536
	U.S. 29	537
	Norfolk & Western RR.	538
Lynch Creek	3d St	536
	U.S. 29	548
	Southern RR (downstream).	558
	Southern RR (upstream).	570
	Upstream corporate limits.	610

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001-4128); and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25204 Filed 9-8-77;8:45 am]

[24 CFR Part 1917]

[Docket No. FI-3309]

COUNTY OF BOTETOURT, VA.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the County of Botetourt, Va.

These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESSES: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the County Courthouse, Fincastle, Va. 24090.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Mr. Stephen C. Shelton, County Administrator of Botetourt County, P.O. Box 279, Fincastle, Va. 24090.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202-755-5581 or toll free line 800-424-8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the County of Botetourt, Va. in accordance with section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93-234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90-448), 42 U.S.C. 4001-4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
Back Creek	Confluence with Ellis Run.	919
	State Route 630	924
	State Route 636	960
	State Route 640	996
Buffalo Creek	Norfolk & Western Ry.	1,100
	U.S. Route 81 on ramp.	1,181
	U.S. Route 220	1,187
	U.S. Route 81	1,193
	State Route 653	1,254
	County limits	1,295
Craig Creek	Confluence with James River.	941
	State Route 615	941
	State Route 685	943
	Footbridge	967
	Roaring Run	968
Eagle Rock Creek	Confluence with James River.	936
	Chesapeake & Ohio RR.	936
	State Route 688	938
	State Route 43	954
	State Route 742	982
	State Route 745 (downstream).	991
	State Route 745 (upstream).	1,019
Ellis Run	Confluence with Back Creek.	919
	State Route 640	928
Glade Creek	County limits	996
	Norfolk & Western Ry. (downstream).	1,007
	Norfolk & Western Ry. (upstream).	1,013
	State Route 738	1,013
	Confluence with Laymantown Creek.	1,014
Jackson River	Confluence with James River.	1,015
	State Route 727	1,019
	County limits	1,021
James River	do	761
	State Route 614	798
	Jennings Creek	802
	Buchanan corporate limits (downstream).	832
	Buchanan corporate limits (upstream).	834
	Looney Mill Creek	840
	U.S. Route 81 (east lane).	842
	Milepost 322	933
	State Route 220	938
	Confluence with Craig Creek.	941
	Old railroad bridge	942
	Milepost 326.16	948
	Mill Creek	956
	Sinking Creek	957
	Milepost 334.69	968
	State Route 633	991
Laurel Run	State Route 640	858
	Norfolk & Western Ry.	893
Laymantown Creek.	Confluence with Glade Creek.	1,014
	State Route 658	1,027
	State Route 460	1,030
	State Route 658	1,042
Long Run	Looney Mill Creek	840
	State Route 625	841
Looney Mill Creek	Confluence with James River.	840
	Long Run	840
	State Route 625	840
	U.S. Route 11	857
	Laurel Run	858
Mill Creek	Confluence with James River.	956
	Chesapeake & Ohio Ry.	957
	U.S. Route 220	958
	State Route 604	962
	Private drive	1,010
Roaring Run	Confluence with Craig Creek.	968
	State Route 615	968
Sinking Creek	Confluence with James River.	957
	Chesapeake & Ohio RR.	957
	U.S. Route 220	958
Tinker Creek	County limits	1,102
	Service Rd. (downstream).	1,102
	U.S. Route 220	1,106
	State Route 654	1,132
	State Route 1103	1,133
	Diversion Dam (downstream).	1,133
	Service Rd. (1st upstream crossing).	1,134
	Service Rd. (2d upstream crossing).	1,139

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
	U.S. Route 11	1,141
	Interstate 81	1,150
	Diversion Dam (upstream).	1,155
	State Route 816	1,161

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001–4128); and Secretary's delegation of authority to Federal Insurance Administrator 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974.)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25205 Filed 9-8-77;8:45 am]

[24 CFR Part 1917]

[Docket No. FI-3310]

TOWN OF CHILHOWIE, SMYTH COUNTY, VA.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Town of Chilhowie, Smyth County, Va.

These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESSES: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the Chilhowie Town Hall, Highway 11, Chilhowie, Va.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Honorable Edwin B. Sanders, Mayor of Chilhowie, Drawer M, Chilhowie. Va. 24319.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202–755–5581 or toll free line 800–424–8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the Town of Chilhowie, Smyth County, Va. in accordance with section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93–234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 Pub. L. 90–448), 42 U.S.C. 4001–4128, and 24 CFR Part 1917.

These elevations together with the flood plain managemnet measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, State or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet above mean sea level
Middle Fork Holston River.	Downstream corporate limits.	1,945
	Virginia Highway 751	1,946
	Walton Ave. (extended).	1,947
	Church Ave. (extended).	1,948
	Chestnut Ave. (extended).	1,949
	Bonham Ave. (extended).	1,950
	Norfolk & Western RR.	1,951
Carlock Creek	U.S. Highway 11	1,952
	Upstream corporate limits.	1,952
Sulphur Spring Creek.	Norfolk & Western RR.	1,945
	Pendleton Ave. (extended).	1,947
	Upstream corporate limits.	1,947

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001–4128) and Secretary's delegation of authority to Federal Insurance Administrator, 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25206 Filed 9-8-77;8:45 am]

[24 CFR Part 1917]

[Docket No. FI-3311]

TOWN OF PALOUSE, WHITMAN COUNTY, WASH.

Proposed Flood Elevation Determinations

AGENCY: Federal Insurance Administration, HUD.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are solicited on the proposed base flood elevations (100-year flood) listed below for selected locations in the Town of Palouse, Whitman County, Wash.

These base flood elevations are the basis for the flood plain management measures that the community is required to either adopt or show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The period for comment will be ninety days following the second publication of this notice in a newspaper of local circulation in the above-named community.

ADDRESSES: Maps and other information showing the detailed outlines of the flood-prone areas and the proposed base flood elevations are available for review at the Bulletin Board in the City Hall, Palouse, Wash.

Any person having knowledge, information, or wishing to make a comment on these proposed elevations should immediately notify Honorable Eugene L. Allan, Mayor of Palouse, City Hall, P.O. Box 248, Palouse, Wash. 99161.

FOR FURTHER INFORMATION CONTACT:

Mr. Richard Krimm, Assistant Administrator, Office of Flood Insurance, 202–755–5581 or toll free line 800–424–8872, Room 5270, 451 Seventh Street SW., Washington, D.C. 20410.

SUPPLEMENTARY INFORMATION: The Federal Insurance Administrator gives notice of the proposed determinations of base flood elevations (100-year flood) for the Town of Palouse, Whitman County, Wash. in accordance with section 110 of the Flood Disaster Protection Act of 1973 (Pub. L. 93–234), 87 Stat. 980, which added section 1363 to the National Flood Insurance Act of 1968 (Title XIII of the Housing and Urban Development Act of 1968 (Pub. L. 90–448), 42 U.S.C. 4001–4128, and 24 CFR Part 1917.

These elevations together with the flood plain management measures required by § 1910.3 of the program regulations are the minimum that are required. They should not be construed to mean the community must change any existing ordinances that are more stringent in their flood plain management requirements. The community may at any time enact stricter requirements on its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

The proposed 100-year flood elevations for selected locations are:

Source of flooding	Location	Elevation in feet, national geodetic vertical datum
Palouse River	Upstream corporate limits.	2,438
	F St	2,430
	Bridge St	2,427
	Unnamed stream	2,425
	Railroad bridge	2,425
	Unnamed stream	2,425
	Main St	2,423
	Corporate limits downstream from Main St.	2,422
	Corporate limits upstream from State Route 272.	2,417
	State Route 272	2,417
	Railroad bridge	2,417
	Downstream corporate limits.	2,417

(National Flood Insurance Act of 1968 (Title XIII of Housing and Urban Development Act of 1968), effective January 28, 1969 (33 FR 17804, November 28, 1968), as amended (42 U.S.C. 4001–4128), and Secretary's delegation of authority to Federal Insurance Administrator 34 FR 2680, February 27, 1969, as amended (39 FR 2787, January 24, 1974).)

Issued: July 28, 1977.

PATRICIA ROBERTS HARRIS,
Secretary.

[FR Doc.77-25207 Filed 9-8-77;8:45 am]